SHOW COMMITTEE

Ruth Ullery FWCOS President

Bret Ullery & Corinne Arnold Show Co-Chairs

Ryan Kowalczyk

AOS Head Show Judging Chair

Corinne Arnold and Erika Grant Publicity

Chad Whetstone Finance

Wes Newton Photography

Cheryl Finke Registration, Ribbon Judging, Trophy Program

Marcia and John Swager Hospitality

Denine Mackie Fail

Social Media and Website

SHOW SCHEDULE, RULES, AND REGULATIONS

GENERAL:

- 1. Ribbon judging will start on Friday, January 24th, at 4:00pm. AOS judging to follow.
- 2. *****All plants being exhibited must be properly labeled with a tag identifying the hybrid or species name and the category number from the list below*****.
- 3. Space for commercial sales will be available only by invitation. Commercial growers must register a **minimum of five (5) plants** for ribbon or AOS judging.
- 4. Commercial vendors and Societies may remove their plants and equipment on Sunday, January 26th, starting at 4:00 P.M. NO PLANTS OR EQUIPMENT MAY BE REMOVED PRIOR TO THAT TIME.
- 5. Commercial vendors and Societies are responsible for the cleanup of their areas. Vendors and Societies not complying may be charged a cleanup fee.
- 6. The right is reserved by the Classification Committee to reject tardy, unsuitable plant entries, diseased or pest infected plants and have them removed from the exhibit hall.
- 7. Any other rules deemed necessary for the proper conduct of the Show may be made by the Show Chair.
- 8. All decisions made by the Show Chair are final.
- 9. While reasonable precautions will be exercised to the greatest degree possible, The Florida West Coast Orchid Society will not be responsible for the loss of or damage to, plants or other property.

ENTRY, CLASSIFICATION AND JUDGING

All exhibitors are expected to familiarize themselves with the show schedule and exhibition guidelines.

- 1. Each exhibitor agrees upon entry to abide by the rules and regulations of the show. All questions regarding the interpretation of these rules shall be referred to the Show Judging Chairman for a decision.
- 2. Ribbon Judging will begin promptly at 4:00PM on Friday, January 24th, 2025. AOS judging to follow.
- 3. Judging of plants will be in accordance with the current Edition of the *Handbook on Judging and Exhibition* of the American Orchid Society, Inc. and any interim rules issued by the AOS Judging Committee.
- 4. This Show has been approved for official AOS judging. All plants, whether entered for ribbon judging or not, will be considered for AOS awards unless otherwise marked by the exhibitor. If the flowers have previously been exhibited at an AOS-approved function, they are considered to have been screened and therefore, are not eligible for further consideration. They should be marked, "Not for AOS judging". This will not disqualify the flower from consideration in the proper ribbon or trophy class.
- 5. Submission of plants or cut flowers for judging shall obligate the exhibitor to accept any award granted and to pay any fees connected with such an award except where he has clearly indicated before the judging that his entry is not to be AOS judged.
- 6. Recipients of AOS awards are responsible for award fees (see note below) and for supplying the appropriate identification information.
- 7. All plants and flowers exhibited must be properly labeled with the plant name, the clonal name and any awards designation previously received.

- 8. Foliage plants, moss etc. may complement exhibits, but no artificial or dyed moss or foliage of any kind will be permitted with the exception of artificial grass used as a floor covering. Plants in flower or cut flowers other than orchids will not be permitted in an exhibit. No dyed flowers will be permitted. No water, fountains or streams will be permitted in the exhibits.
- 9. All plants exhibited in the Individual Exhibit, Vendor areas and Society areas will be entered for ribbon judging. Blank Entry Sheets will be provided, and hybrid information will be available at the Classification Table. Entry Sheets must be neatly and legibly prepared, with the required information. Electronic Entry Sheets are available. Properly executed Entry Sheets must show any previous awards to the plant by the AOS or the RHS, and the parentage of hybrids (awards to parents need not be shown).
- 10. Plants and Entry Sheets may be left at the Entry Table starting at 10:00 A.M to 2:00PM, Friday, January 24 at **2:00PM is the cut-off** as ribbon judging starts at 4:00PM. Vendors and Societies are responsible for providing their own Plant Identification Labels and category numbers (see below) for all orchids in their exhibits. Vendors and Societies are responsible for placing plants in their assigned exhibits. All plants to be placed in the Individual Exhibit will be arranged by the Show Committee
- 11. As a courtesy, AOS Judges may enter their own plants for AOS Judging. Once AOS judging is completed, they may take the plant. All other Show rules must be followed.
- 12. Classification and Entry personnel will be available to assist exhibitors in the proper classification and entry of their plants in accordance with the following Classification Schedule. HOWEVER, THE FINAL RESPONSIBILITY FOR THE CLASSIFICATION AND ENTRY LIES SOLELY WITH THE INDIVIDUAL OWNER/EXHIBITOR.
- 13. Intergeneric hybrids should be entered according to the dominant parent, if there is a choice of class.
- 14. Plants may not be entered in more than one Class, except where a double entry is specifically allowed. Double entry of a plant is required in order to be judged for awards of seedlings blooming for the first time, specimen plants, best miniature and best Florida Native Species.
- 15. Plants entered as seedlings blooming for the first time **MUST** be physically inspected by a representative of the Classification Committee.
- 16. Judges have the right to award or withhold any scheduled award and to subdivide Classes when deemed necessary. Judges may reclassify improperly classified entries, at their discretion, or they may disqualify such entries where reclassification is impractical. All such decisions of the Judges are final.
- 17. Classification is based on the *Royal Botanical Gardens Kew World Checklist*. Their web address is: <u>http://apps.kew.org/wcsp/home.do</u>.

NOTE ON AOS JUDGING: Anyone wishing to call the Judges' attention to a plant which they feel merits AOS consideration for judging should list the plant with the AOS Judging Chair. This list will be available on Friday during Ribbon Judging.

NOTE ON AOS AWARDS FEE: Any plant in the show may be considered by the judges for AOS Judging, unless specified as "**NOT FOR AOS JUDGING**". Each person showing plants or flowers; **agrees to accept any award given and to pay the fees for such awards to the AMERICAN ORCHID SOCIETY, INC.**

RIBBON AWARDS AND TROPHIES:

Ribbon awards for individual plants may be awarded as follows:

Blue Ribbon..... First Place

Red Ribbon..... Second Place

Yellow Ribbon.....Third Place

TROPHIES: Trophies may be awarded according to the Schedule.

ENTRY SCHEDULE FOR EXHIBITS

- 10 Commercial Exhibit over 50 square feet
- 11 Commercial Exhibit Table Top
- 20 Society Exhibits over 50 square feet
- 21 Society Exhibits Table Top
- 30 Novice Exhibit over 50 square feet
- 31 Novice Exhibit Table Top
- 40 Educational Exhibit Table Top
- 50 Cut Flower & Floral Arrangement Exhibit
- 60 Artwork Exhibit

ENTRY SCHEDULE FOR PLANTS IN FLOWER

Note 1: In this Schedule, unless the word "hybrid," is preceded by the word "all," or "intergeneric," only an intrageneric hybrid is meant, unless otherwise specified in each case.

Note 2: Meristems do not qualify as seedlings.

CATEGORY NUMBERS

CATTLEYA ALLIANCE

Allied Cattleya genera species

Intergeneric hybrids should be entered according to the dominant parent, if there is a choice of class

- 70 *Epidendrum* species
- 75 *Encyclia* species
- 80 *Prosthechea* species
- 90 *Epidendrum* intrageneric hybrids.
- 94 *Encyclia* intrageneric hybrids.
- 98 *Prosthechea* intrageneric hybrids.
- 100 Epidendrum, Encyclia and Prosthechea intergeneric hybrids. INCLUDES Cattleya hybrids.
- 110 *Brassavola* species and intrageneric hybrids.
- 120 *Brassavola* intergeneric hybrids, flower predominately *B. nodosa* in form. INCLUDES *Cattleya* hybrids.
- 130 *Rhyncholaelia* intrageneric and intergeneric hybrids.
- 140 *Broughtonia* species, intrageneric hybrids: other than above.
- 145 *Broughtonia* intergeneric hybrids: other than above.
- 150 *Laelia* species and intrageneric hybrids: other than above.
- 155 *Laelia* intergeneric hybrid: other than above.
- 160 *Myrmecophila* species and intrageneric hybrids: other than above.
- 165 *Myrmecophila* intergeneric hybrids: other than above.
- 170 *Guarianthe* species and intrageneric hybrids: other than above.
- 175 *Guarianthe* intergeneric hybrids: other than above.

- **Allied** *Cattleya* genera species, intrageneric and intergeneric hybrids: other than above. Excluding *Cattleya*.
- 190 Seedling blooming for the 1st time classes 70-180. *Must be double entered*.

Cattleya – Small flowered - less than five (5) inches natural spread.

- *Cattleya* species (small flower, less than 5 inches).
- *Cattleya* hybrids (small flower, less than 5 inches): lavender/mauve/pink
- *Cattleya* hybrids (small flower, less than 5 inches): white
- *Cattleya* hybrids (small flower, less than 5 inches): semi-alba
- *Cattleya* hybrids (small flower, less than 5 inches): yellow/orange
- *Cattleya* hybrids (small flower, less than 5 inches): green
- *Cattleya* hybrids (small flower, less than 5 inches): red/red-lavender/purple
- *Cattleya* hybrids (small flower, less than 5 inches): blue
- *Cattleya* hybrids (small flower, less than 5 inches): splash petals
- *Cattleya* hybrids (small flower, less than 5 inches): spotted
- *Cattleya* hybrids (small flower, less than 5 inches): any other colors
- *Cattleya* species and hybrids (small flower, less than 5 inches): seedling blooming for the first time from Classes 200 210. *Must be double entered*.

Cattleya – Large flowered - five (5) inches and larger natural spread.

- *Cattleya* species (large flower, 5 inches & over): other than above
- *Cattleya* hybrids (large flower, 5 inches & over): lavender/mauve/pink
- *Cattleya* hybrids (large flower, 5 inches & over): white
- *Cattleya* hybrids (large flower, 5 inches & over): semi-alba
- *Cattleya* hybrids (large flower, 5 inches & over): yellow/orange
- *Cattleya* hybrids (large flower, 5 inches & over): green
- *Cattleya* hybrids (large flower, 5 inches & over): red/red-lavender/purple
- *Cattleya* hybrids (large flower, 5 inches & over): blue
- *Cattleya* hybrids (large flower, 5 inches & over): splash petals
- *Cattleya* hybrids (large flower, 5 inches & over): spotted.
- *Cattleya* hybrids (large flower, 5 inches & over): other than above. Any other colors
- *Cattleya* species and hybrids (large flower, 5 inches & over): seedling blooming for the first time from Classes 220 230. *Must be double entered*.

CYPRIPEDIUM ALLIANCE

Paphiopedilum

- 250 Paphiopedilum species, section Brachypetalum (bellatulum, niveum, concolor, etc).
- 251 Paphiopedilum species, section Parvisepalum (armeniacum, delenati, micranthum, etc).
- *Paphiopedilum* species, Section *Paphiopedilum* (*hirsutissimum*, *charlesworthii*, *insigne*, *fairrieanum*, etc.)
- *Paphiopedilum* species, Section *Barbata* (*callosum*, *barbatum*, *lawrenceanum*, *sukhakulii*, *venustum*, etc.)
- *Paphiopedilum* species, Section *Cochlopetalum* (sequentially blooming, e.g. *glaucophyllum*, *primulinum*, etc.)
- *Paphiopedilum* species, Section *Coryopedilum* and *Pardalopetalum* (multifloral, e.g. *philippinense, sanderianum, stonei, rothschildianum*, etc.)
- 260 Paphiopedilum hybrids, Section Brachypetalum.
- *Paphiopedilum* hybrids, Section *Parvisepalum*.

- *Paphiopedilum* hybrids. Callosum types (Maudiae): green/yellow.
- *Paphiopedilum* hybrids. Callosum types (Maudiae): bronze/mahogany.
- *Paphiopedilum* hybrids. Callosum types (Maudiae): red/pink/vinicolor.
- 265 Paphiopedilum hybrids. Callosum types (Maudiae): other colors
- *Paphiopedilum* hybrids. Complex: white
- *Paphiopedilum* hybrids. Complex: green/yellow.
- *Paphiopedilum* hybrids. Complex: orange/bronze/mahogany
- 274 Paphiopedilum hybrids. Complex: red/pink/vinicolor
- *Paphiopedilum* hybrids. Sequential blooming.
- *Paphiopedilum* hybrids Multiflora types: green/yellow/white
- *Paphiopedilum* hybrids Multiflora types: bronze/mahogany
- *Paphiopedilum* hybrids Multiflora types: red/pink/vinicolor
- *Paphiopedilum* hybrids Multiflora types: other colors
- *Paphiopedilum* hybrids other single flowered types (such as hybrids of *fairrieanum*, *hirsutissimum*, *spicerianum*, *insigne*, etc.).
- *Paphiopedilum* hybrids intersectional, other than above.
- *Paphiopedilum* seedling blooming for the first time from Classes 250 292. *Must be double entered.*

Phragmipedium, Selenipedium, Cypripedium

- *Phragmipedium* species.
- *Phragmipedium besseae* dominant hybrids primary / near-primary hybrids with besseae as one parent. Examples: Barbara Leann, Mountain Maid, Eric Young, Inca Fire, Rachel Kirk, etc.
- *Phragmipedium kovachii* hybrids other than above primary / near-primary hybrids with *kovachii* as one parent. Examples: Fritz Schomburg, Frank Smith, Incan Treasure, Haley Decker, etc.
- *Phragmipedium* long-petaled hybrids with *besseae* and *kovachii* in background.
- *Phragmipedium* hybrids all others; excluding *besseae* and *kovachii* in background.
- *Phragmipedium* long-petaled hybrids excluding besseae and kovachii.
- 310 Other *Cypripedioideae* species and hybrids (*Cypripedium*, *Selenipedium*, *Mexipedium*).
- *Cypripedium* alliance seedling blooming for the first time from Classes 300 310. *Must be double entered.*

VANDA ALLIANCE:

- *Aerangis* species and intrageneric hybrids.
- 331 Aerangis intergeneric hybrids.
- *Aerides* species and intrageneric hybrids.
- *Aerides* intergeneric hybrids: other than above.
- 350 Angraecum species and intrageneric hybrids.
- *Angraecum* intergeneric hybrids: other than above.
- *Arachnis* species and intrageneric hybrids.
- *Arachnis* intergeneric hybrids: other than above.
- *Renanthera* species and intrageneric hybrids.
- *Renanthera* intergeneric hybrids: other than above.
- *Vanda* species 3 inches or less (formerly *Ascocentrum, Neofinetia, Christensonia*, etc.).
- *Rhynchostylis* species and intrageneric hybrids.
- *Rhynchostylis* intergeneric hybrids: other than above
- 382 Vandaceous seedling blooming for the first time. (Classes 330-381. **Must be double entered**.

Vanda – Small flowers - three (3) inches or less natural spread

- *Vanda* hybrids 3 inches or less (color predominating): orange/yellow
- *Vanda* hybrids 3 inches or less (color predominating): red/red-purple.
- *Vanda* hybrids 3 inches or less (color predominating): pink.
- *Vanda* hybrids 3 inches or less (color predominating): blue.
- *Vanda* hybrids 3 inches or less any other color.
- *Vanda* 3 inches or less seedling blooming for the first time. Classes 391 to 395. *Must be double entered*.

Vanda - Large flowers - over three (3) inches large natural spread

- *Vanda* species over 3 inches.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): orange.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): yellow.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): green/white.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): blue
- *Vanda* strap leaf hybrids over 3 inches (color predominating): lavender.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): pink.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): red.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): tan/brown.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): deep purple.
- *Vanda* strap leaf hybrids over 3 inches (color predominating): other colors.
- *Vanda* seedling over 3 inches blooming for the first time. Classes 400 430. **Must be double entered**.
- *Vanda* terete-leaf hybrids including *Papilionanthe*.
- *Vanda* semi-terete-leaf hybrids.
- *Vand*a intergeneric hybrids (excluding *Phalaenopsis*) other than above.
- 460 Allied *Vanda* genera, species, intrageneric and intergeneric hybrids: other than above (excluding *Phalaenopsis*).
- *Vanda* alliance seedling blooming for the first time from Classes 450-460. **Must be double entered**.

PHALAENOPSIS ALLIANCE: (includes former genera Doritis, Kingidium, Lesliea, Nothodoritis,

Ornithochilus, Sedirea, etc.)

Phalaenopsis species. (Novelty flower, less than 3 inches).

Phalaenopsis – Small flower - less than 2 inches natural spread

- *Phalaenopsis* hybrids (small flower, less than 2 inches) white.
- *Phalaenopsis* hybrids (small flower, less than 2 inches) pink.
- *Phalaenopsis* hybrids (small flower, less than 2 inches) red/purple.
- *Phalaenopsis* hybrids (small flower, less than 2 inches) yellow.
- *Phalaenopsis* hybrids (small flower, less than 2 inches) coerulea.
- *Phalaenopsis* hybrids (small flower, less than 2 inches) other colors.
- *Phalaenopsis* intergeneric hybrids (small flower, less than 3 inches) Other than above.

Phalaenopsis – Large flower – 2 inches & over natural spread

- *Phalaenopsis* species (large flower, 3 incher & over).
- *Phalaenopsis* hybrids (large flower, 2 inches & over) white.
- *Phalaenopsis* hybrids (large flower, 2 inches & over) pink.
- *Phalaenopsis* hybrids (large flower, 2 inches & over) red/purple
- *Phalaenopsis* hybrids (large flower, 2 inches & over) yellow/orange.
- *Phalaenopsis* hybrids (large flower, 2 inches & over) coerulea.
- *Phalaenopsis* hybrids (large flower, 2 inches & over) other colors.
- *Phalaenopsis* intergeneric hybrids. Other than above.
- *Phalaenopsis* type flower first bloom seedling from Classes 480 526. **Must be double entered**.

ONCIDIUM ALLIANCE:

- 540 Brassia species and intrageneric hybrids (Brs. x Brs.).
- 541 Brassia intergeneric hybrids (Aliceara, Brassidium, etc.).
- *Miltonia* and *Miltoniopsis* species.
- *Miltonia* intrageneric hybrids (*Miltonia* x *Miltonia*).
- *Miltoniopsis* intrageneric hybrids (*Miltoniopsis* x *Miltoniopsis*)
- *Miltonia* and *Miltoniopsis* intergeneric hybrids: other than above.
- *Oncidium* Species and hybrids, large flowered over one (1) inch Natural Spread.
- *Oncidium* Species and hybrids, small flowered one (1) inch or less Natural Spread.
- *Rhynchostele* Species and hybrids.
- *Trichocentrum* Species and hybrids, mule-ear type and terete leaved (*luridum, carthagenense, splendidum, lanceanum*, etc.)
- *Psychopsis* Species and hybrids (*kramerianum, papilio, sanderae*, etc.)
- *Tolumnia* species (*Oncidium* Equitants).
- *Tolumnia* intrageneric hybrids (Oncidium Equitant hybrids).
- *Tolumnia* intergeneric hybrids (Oncidium Equitant hybrids).
- *Oncidium* intergeneric hybrids. Other than above.
- 620 Allied *Oncidiinae* species allied genera. Other than above.
- 621 Allied *Oncidiinae* hybrids. Other than above.
- 630 Oncidium type first bloom seedling from Classes 540 621. **Must be double entered**.

CYMBIDIUM ALLIANCE:

Cymbidium

- *Cymbidium* hybrids, large flower, 1.5 inches natural spread & over.
- *Cymbidium* species, large flower, 1.5 inches natural spread & over.
- *Cymbidium* hybrids, Miniature, less than 1.5 inches natural spread.
- *Cymbidium* species, Miniature, less than 1.5 inches natural spread.
- 680 Allied *Cymbidium* genera species, hybrids and intergeneric hybrids, other than above; (*Cyrtopodium*, *Ansellia*, *Grammatophyllum*, etc.).
- *Cymbidium Alliance* seedling blooming for the first time. Classes 640 680. **Must be double** entered.

DENDROBIUM ALLIANCE:

Dendrobium-NOTE: Hybrids between sections Phalaenanthe (Phalaenopsis type) and Spatulata (Antelope

type) should be entered either in classes 721-746 DEPENDING ON THE DOMINATE SHAPE OF THE FLOWER OF THE HYBRID.

- *Dendrobium* species: Nobile type (anosmum, aphyllum, fimbriatum, nobile, parishii).
- *Dendrobium* species: Section Phalaenanthe, Phalaenopsis-type (affine, bigibbum, superbiens).
- *Dendrobium* species: Section Spatulata, Antelope type (*antennatum*, *discolor*, *gouldii*, *lasianthera*, *stratiotes*, *taurinum*).
- *Dendrobium* species: Section Latouria type (*aberrans, alexandrae, atroviolaceum, johnsoniae, macrophyllum, spectabile*).
- *Dendrobium* species: Section Formosae, Nigrohirsute-type (*bellatulum, cruentum, deari, formosum, infundifulum, sanderae, schuetzei, tobaense, trigonopus*).
- **Dendrobium** species: Section Callista: (*chrysotoxum, densiflorum, farmeri, lindleyi* (*aggregatum*), *thrysiflorum*).
- *Dendrobium* species: Section Pedilonum (*bracteosum, bullenianum, calcaratum, goldschmidtianum, purpureum, secundum smilliae*).
- *Dendrobium* species: Any other type.
- *Dendrobium* hybrids: Nobile type white.
- *Dendrobium* hybrids: Nobile type yellow.
- *Dendrobium* hybrids: Nobile type pink/lavender.
- *Dendrobium* hybrids: Nobile type other colors.
- *Dendrobium* hybrids: Phalaenopsis type white.
- *Dendrobium* hybrids: Phalaenopsis type yellow/green.
- *Dendrobium* hybrids: Phalaenopsis type pink/lavender.
- *Dendrobium* hybrids: Phalaenopsis type red/red-purple.
- *Dendrobium* hybrids: Phalaenopsis type candy stripe.
- *Dendrobium* hybrids: Phalaenopsis type any other color.
- *Dendrobium* hybrids: Antelope type white.
- *Dendrobium* hybrids: Antelope type yellow.
- *Dendrobium* hybrids: Antelope type green.
- *Dendrobium* hybrids: Antelope type pink/lavender.
- *Dendrobium* hybrids: Antelope type red/red-purple.
- *Dendrobium* hybrids: Antelope type brown.
- *Dendrobium* hybrids: Antelope type any other color.
- *Dendrobium* hybrids: Section Latouria. Intrageneric and intergeneric hybrids.
- *Dendrobium* hybrids: Section Formosae. intrageneric and intergeneric hybrids.
- *Dendrobium* hybrids: Section Callista. Intrageneric and intergeneric hybrids.
- *Dendrobium* hybrids: Section Pedilonum. Intrageneric and intergeneric hybrids.
- *Dendrobium* hybrids: other than above.
- 780 Allied *Dendrobium* genera, species, intrageneric and intergeneric hybrids: other than above.
- *Dendrobium Alliance* (any type) seedling blooming for the first time: 700 780. **Must be double entered**.

OTHER - DIVERSIFIED SUBTRIBES, GENERA, SPECIES, ETC.: Not included above.

- *Masdevallia* species, intrageneric and intergeneric hybrids.
- *Dracula* species, intrageneric and intergeneric hybrids other than above.
- 820 Allied *Pleurothallidinae* genera species and hybrids intrageneric and intergeneric hybrids: other than above
- *Lycaste* species, intrageneric and intergeneric hybrids.
- *Ida* (previously *Sudamerlycaste*) *species*, intrageneric, and intergeneric hybrids.

- 860 Anguloa species and hybrids.
- 870 *Maxillaria* species, intrageneric and intergeneric hybrids: other than above.
- 880 **Zygopetalum** and allied genera, species, intrageneric and intergeneric hybrids: other than those above; (i.e. (Chondrorhyncha, Cochleanthes, Promenaea, etc.)
- 890 *Stanhopea* species & hybrids.
- 892 *Coryanthes* species and hybrids.
- 894 *Gongora* species and hybrids.
- 900 Catasetum, Clowesia, Cycnoches, Mormodes and allied genera, species.
- 910 *Catasetum, Clowesia, Cycnoches, Mormodes* and allied genera, hybrids up to two genera.
- 911 *Catasetum*, *Clowesia*, *Cycnoches*, *Mormodes* and allied genera **complex intergeneric hybrids** three or more genera.
- 930 Bulbophyllum species and hybrids single flowered.
- 941 *Bulbophyllum* species and hybrids sequential bloomers.
- 942 *Bulbophyllum* species and hybrids umbel-type.
- 943 *Bulbophyllum* species and hybrids multifloral.
- 950 *Coelogyne* (which now includes *Dendrochilum*) species, hybrids, and intergeneric hybrids, under 1 inch, other than above.
- 955 *Coelogyne* (which now includes *Dendrochilum*) species, hybrids, and intergeneric hybrids, 1 inch or over, other than above.
- 960 *Bletia, Calanthe, Chysis, Gastrorchis, Phaius, Spathoglottis, and Thunia* species, hybrids, and intergeneric hybrids other than above.
- 970 Disa, Habenaria, Orchis, and Stenoglottis species.
- 975 Disa, Habenaria, Orchis, and Stenoglottis hybrids, other than above.
- 980 *Jewel Orchids* (recognized for colorful foliage & flower) i.e. *Anoectochilus, Dossinia, Goodyera, Ludisia*, etc. (may be flowering) Need not be in bloom.
- 990 Terrestrials not covered elsewhere including Stenorhynchus
- 1000 Species not covered elsewhere.
- 1010 Hybrids not covered elsewhere.
- 1020 Diversified Subtribe seedling blooming for the first time: 800 1010. Must be double entered.

SPECIAL HORTICULTURAL CATEGORIES:

- 1030 **Best Miniature Orchid** Any species or hybrid measuring less than six (6) inches in height, excluding inflorescence. (Must be mature plants, not immature forms of larger types. **Must be double entered. No Trophy for Best Miniature Orchid.**
- 1040 **Best Florida Native Orchid** Intended to recognize the species of *Orchidaceae* native to our state, Florida. **Must be double entered.**
- 1050 **Best Fragrance**. Note: Plant must be entered on the individual plant table and **must be double** entered. No Trophy for Best Fragrance.

ARTS AND CRAFTS:

Orchids must be the dominant subject of all items submitted. Each item shall be properly prepared, to include anything needed, so that it can be displayed for exhibition (framed with frame stand, mounted on stand with feet, etc.). This category is intended to recognize the artist who created the submission and must be entered by the creator.

- 1080 Art and Craft Needlework
- 1090 Art and Craft Paintings
- 1100 Art and Craft Photography

- 1110 Art and Craft Sculptures, Ceramics and Pottery
- 1120 Art and Craft Other

1200 Vendor Display

TROPHIES:

- 1. Best Encyclia / Epidendrum /Prosthechea species: Classes 70 80
- 2. Best Encyclia / Epidendrum / Prosthechea Intrageneric and Intergeneric. Hybrid: Classes 90-100
- 3. Best Other *Cattleya* Alliance: Classes 110 180
- 4. Best Small Flowered *Catt. (3" or less):* Classes 200 210
- 5. Best Large Flowered Catt. (over 3"): Classes 220 231
- 6. Best Small Flowered Vanda (3" or less): Classes 391 395
- 7. Best Large Flowered Vanda (over 3"): Classes 400 460
- 8. Best Other Vandaceous: Classes 330 381
- 9. Best Phalaenopsis Mem. E. & D. Sitton: Classes 480 526
- 10. Best Brassia / Miltonia /Miltoniopsis: Classes 540 561
- 11. Best Oncidiinae: Classes 570-621
- 12. Best Dendrobium Phalaenanthe and Spatulata-Classes 701, 702,721 740
- 13. Best *Dendrobium* Other or Allied Genera- Classes 700, 703–714, 760-780
- 14. Best Paphiopedilum Species -Mem. Jim & Emily Clarkson-Classes 250-255
- 15. Best Paphiopedilum Hybrid -Classes 261-292
- 16. Best Other *Cypripepiodeae* Classes 300-310
- 17. Best Catasetinae-Memoria George Carr- Classes 900-911
- 18. Best Bulbophyllinae-Classes 930-943
- 19. Best Species in the show
- 20. Best Specimen Memoria Helen Streck
- 21. Best in Show Classes All
- 22. Best Florida Native species—Class 1040
- 23. Best Other Diversified Genera Classes 800-1010
- 24. Best First Bloom Seedling: Class 190, 211, 240, 295, 320, 397, 440, 470, 530, 630, 690, 790 and 1020
- 25. Best Display: All Displays